


### Safety Data Sheet

According to the requirements of Regulation (EC) No. 1272/2008 (CLP) and Regulation (EC) No. 1907/2006 (REACH).

Trade Name: **ASBA Core Automix**

| 1.0 Commercial Product Name and Supplier |  |
|--|--|
| 1.1                                      | Commercial product name / designation <b>ASBA Core Automix</b>   |
| 1.2                                      | Application / Use<br>Dental material for use by dental professional only.  |
| 1.2.2                                    | SIC<br>851 Human health activity   |
| 1.2.3                                    | Use Category<br>55   |
| 1.3                                      | Manufacturer<br>MEDIREL SA.<br>Via Redondello 20<br>CH 6982 Agno<br>Switzerland<br>Tel. +41 91 604 54 34<br><a href="mailto:info@medirel.ch">info@medirel.ch</a> |
| 1.3.1                                    | EC-REP - Importeur<br>LA MAISON DENTAIRE SA.<br>Alte Churerstrasse 36<br>FL 9496 BALZERS / LIECHTENSTEIN   |

| 2.0 Hazards Identification |   |  |                        |
|----------------------------|---|--|------------------------|
| 2.1                        | Classification  |  |                        |
| 2.1.1                      | Classification according to Regulation (EC) No 1272/2008 [CLP]                      | <u>Hazard Class</u>  | <u>Hazard Category</u> |
|                            |   | Eye irritation   | 2                      |
|                            |   | STOT SE  | 3                      |
|                            |   | Skin irritation  | 2                      |
|                            |   | Skin sensitization   | 1                      |
| 2.1.2                      | Classification according to Directive 67/548/EEC                                    | Irritant; Xi; R 36/37/38 – 43 (See SECTION 16 for full text of risk phrases) |                        |
| 2.2                        | <b>GHS Label Elements</b>   |  |                        |
|                            | Hazard Pictograms   |  |                        |
|                            |  |  |                        |
|                            | Signal Word: <b>WARNING</b>   |  |                        |
|                            | <b>Restricted to use by dental professional only.</b>                               |  |                        |
|                            | <b>Hazard Statements</b>  |  |                        |
|                            | H319: Eye irritation. 2. May cause eye irritation.                                  |  |                        |
|                            | H335: STOT SE. 3. May cause respiratory irritation.                                 |  |                        |
|                            | H315: Skin irritation. 2. May cause skin irritation.                                |  |                        |
|                            | H317: Sensitization. 1. May cause an allergic skin reaction.                        |  |                        |
|                            | <b>Precautionary Statements</b>   |  |                        |
|                            | P261: Avoid breathing vapor.  |  |                        |
|                            | P280: Wear protective gloves and eye protection.                                    |  |                        |
|                            | P305+P351: If in eyes, rinse cautiously with water for several minutes.             |  |                        |
|                            | P337+P313: If eye irritation persists, get medical advice/attention.                |  |                        |
|                            | P302+P352: If on skin, wash with plenty of soap and water.                          |  |                        |
|                            | P333+P313: If irritation or rash occurs, get medical advice/attention.              |  |                        |
|                            | P410+P411: Protect from sunlight. Store at temperature not exceeding 27°C / 80°F.   |  |                        |

**Safety Data Sheet**

According to the requirements of Regulation (EC) No. 1272/2008 (CLP) and Regulation (EC) No. 1907/2006 (REACH).

Trade Name: **ASBA Core Automix**

**3.0 Composition**

3.1 Chemical characterization of the preparation: Acrylate ester monomers in two-part, glass-filled, dual-cure paste.

3.2 Hazardous ingredients

| CAS Number  | Name of the Ingredient          | Concentration | Classification per 67/548/EEC     | Classification per Regulation (EC) No.1272/2008 (CLP).  |
|-------------|---------------------------------|---------------|-----------------------------------|---|
| Proprietary | Uncured acrylate ester monomers | 55-60%        | Xi (Irritant),<br>R 36/37/38 - 43 | Eye irritation, 2, H319<br>STOT SE 3, H335<br>Skin irritation, 2, H315<br>Skin sensitization, 1, H317 |
| 112945-52-5 | Silica, amorphous               | 5 %           | Xi (Irritant),<br>R 36/37/38      | Eye irritation, 2, H319<br>STOT SE 3, H335<br>Skin irritation, 2, H315                                |

**4.0 First Aid Measures**

|     |                                  |  |
|-----|----------------------------------|--|
| 4.1 | General Information              | May be irritating to eyes, respiratory system and skin. Do not inhale vapors. Avoid contact with eyes and skin. May cause sensitization by skin contact. Show this safety data sheet to medical personnel. Get medical attention in case of uncertainty. |
| 4.2 | Inhalation                       | Move to fresh air. If necessary, administer oxygen and/or artificial respiration. Seek medical attention.  |
| 4.3 | Skin Contact                     | Take off contaminated clothing. Wash skin thoroughly with soap and water.  |
| 4.4 | Eye Contact                      | Keep eyelids apart; flush with running water for 15+ minutes. Get medical attention.   |
| 4.5 | Ingestion                        | Rinse mouth with water. Do not induce vomiting. Get immediate medical attention. May be irritating to mucous membranes. Never give anything by mouth to an unconscious person.   |
| 4.6 | Precautions for first responders | Ventilate the area. Wear eye and skin protection.  |
| 4.7 | Information for physicians       |  |
|     | Symptoms                         | Irritation or redness in eyes, throat or on skin.  |
|     | Hazards                          | May be irritating to eyes, respiratory system and skin. May cause sensitization by skin contact.   |
|     | Treatment                        | As above under First Aid.  |

**5.0 Fire Fighting Measures**

|     |  |   |
|-----|--|---|
| 5.1 | Suitable extinguishing media                   | Carbon dioxide, dry chemical, alcohol foam, or water fog. Water spray may be used to keep fire exposed containers cool. |
| 5.2 | Extinguishing media to avoid                   | Do not use direct water stream  |
| 5.3 | Special exposure hazards in a fire             | Heat may cause polymerization with rapid release of energy.   |
| 5.4 | Special protective equipment for fire-fighters | Self-contained breathing apparatus  |

**6.0 Accidental Release Measures**

**Safety Data Sheet**

According to the requirements of Regulation (EC) No. 1272/2008 (CLP) and Regulation (EC) No. 1907/2006 (REACH).

Trade Name: **ASBA Core Automix**

|     |                           |  |
|-----|---------------------------|--|
| 6.1 | Personal precautions.     | Wear safety glasses, gloves and lab coat.  |
| 6.2 | Environmental precautions | Avoid releasing large amounts of uncured material into the environment. Cured / set-up material is, to our knowledge, inert.                                   |
| 6.3 | Method for clean up       | Contain spilled material. Wipe up with paper towels or cloths. Collect for disposal in a covered container. Wash area of spill with alcohol or soap and water. |

**7.0 Handling and Storage**

|     |               |  |
|-----|---------------|--|
| 7.1 | Handling      | For use only by dental professionals. Follow good hygiene practices. Avoid direct/strong light sources, temperature extremes (>27°C/80°F, <5°C/40°F), contamination, cross contamination. Recap immediately after use.   |
| 7.2 | Storage       | Store in tightly capped in original container at cool room temperature (<25°C). Avoid direct, strong light, sources of ignition, temperature extremes. Shelf life for unopened product is two years from date of manufacture, provided that the material has been stored properly. |
| 7.3 | Specific uses | Dental material  |

**8.0 Exposure Controls / Personal Protection**

|         |                                 |  |
|---------|---------------------------------|--|
| 8.1     | Exposure limit values           | PEL: Not established. TLV: Not established.                            |
| 8.2     | Exposure controls               |  |
| 8.2.1   | Occupational exposure controls  | No special equipment required under normal conditions of use.          |
| 8.2.1.1 | Respiratory protection          | Good general ventilation is sufficient to control any airborne vapors. |
| 8.2.1.2 | Hand protection                 | No special requirements other than the usual surgical gloves worn.     |
| 8.2.1.3 | Eye protection                  | No special requirements other than the usual safety glasses.           |
| 8.2.1.4 | Skin protection                 | Good personal hygiene and safety practices; wearing a lab coat.        |
| 8.2.1.5 | Other controls                  | Emergency eye wash fountain should be close by. Wash hands after use.  |
| 8.2.2   | Environmental exposure controls | Cure material before disposing.  |

**9.0 Physical and Chemical Properties**

|       |  |  |
|-------|--|--|
| 9.1   | Characteristics  |  |
| 9.1.1 | Appearance / Color / Physical state                    | Part A: Thick yellow paste. Part B: Thick white paste. |
| 9.1.2 | Odor   | Faint, characteristic                                  |
| 9.2   | Important health, safety and environmental information |  |
| 9.2.1 | pH   | Not determined   |
| 9.2.2 | Boiling point  | Not determined   |
| 9.2.3 | Flash point  | Not determined   |
| 9.2.4 | Flammability (solid, gas)                              | Not applicable   |
| 9.2.5 | Explosive properties                                   | Not applicable   |
| 9.2.6 | Oxidizing properties                                   | Not determined   |
| 9.2.7 | Vapor pressure   | < 1 mm Hg  |

### Safety Data Sheet

According to the requirements of Regulation (EC) No. 1272/2008 (CLP) and Regulation (EC) No. 1907/2006 (REACH).

Trade Name: **ASBA Core Automix**

|                                       |  |  |
|---------------------------------------|--|--|
| 9.2.8                                 | Specific gravity                                     | 1.660  |
| 9.2.9                                 | Solubility in water                                  | Nil  |
| 9.2.10                                | Partition coefficient                                | Not determined   |
| 9.2.11                                | Viscosity  | Not determined   |
| 9.2.12                                | Vapor density  | Not determined   |
| 9.2.13                                | Evaporation rate                                     | Not determined   |
| <b>10.0 Stability and reactivity</b>  |  |  |
| 10.1                                  | Conditions to avoid                                  | Temperature > 38°C, light, cross-contamination.  |
| 10.2                                  | Materials to avoid                                   | Reducing and oxidizing agents, peroxides, amines.  |
| 10.3                                  | Hazardous decomposition products                     | Under fire conditions and with amounts greater than that supplied in this product, hazardous polymerization may occur with heat build-up and release of carbon monoxide, carbon dioxide, oxides of nitrogen. |
| 10.4                                  | Further information                                  | Stable material if stored and used as directed. Polymerization will occur when light-cured material is exposed to direct light.  |
| <b>11.0 Toxicological information</b> |  |  |
| 11.1                                  | Acute toxicity                                       | Not toxic. Minimal health hazard in the quantities present in this product and under normal conditions of use.   |
| 11.2                                  | Irritation and corrosiveness                         | May be irritating to eyes, mucous membranes or skin on contact or with prolonged exposure.   |
| 11.3                                  | Sensitization  | May be sensitizing. Prolonged or frequent skin contact may cause allergic skin reactions in some susceptible individuals.  |
| 11.4                                  | Sub-acute, sub-chronic and prolonged toxicity        | Prolonged/frequent skin contact may cause allergic skin reactions in susceptible individuals. Prolonged exposure to large amounts (more than in this product) may cause eye and respiratory irritation.      |
| 11.5                                  | Carcinogenicity, Mutagenicity, Reproductive Toxicity | None known   |
| 11.6                                  | Empirical data                                       | Not available  |
| 11.7                                  | Clinical experience                                  | ASBA Core Automix has been on the market for almost six years with no reports of adverse events or serious complaints.   |
| <b>12.0 Ecological Information</b>    |  |  |
| 12.1                                  | Eco-toxicity   | Avoid release of uncured material into the environment. To the best of our knowledge, polymerized material is inert. No other information is available. Follow all government regulations.                   |
| <b>13.0 Disposal Considerations</b>   |  |  |
| 13.1                                  | Regulations  | Follow all local and national government regulations in disposing material or contaminated packaging.  |
| <b>14.0 Transport Information</b>     |  |  |
| 14.1                                  | Restrictions   | None. Not regulated.   |

### Safety Data Sheet

According to the requirements of Regulation (EC) No. 1272/2008 (CLP) and Regulation (EC) No. 1907/2006 (REACH).

Trade Name: **ASBA Core Automix**

|             |   |   |
|-------------|---|---|
| <b>15.0</b> | <b>Regulatory Information</b>                         |   |
| 15.1        | EU  | Class IIa medical device under MDD 93/42/EEC.   |
| 15.2        | US FDA  | Class II medical device   |
| <b>16.0</b> | <b>Other information</b>                              |   |
| 16.1        | List of relevant R phrases                            | R36/37/38: Irritating to eyes, respiratory system and skin.<br>R43: Sensitizing by skin contact.  |
| 16.2        | Hazard Statements                                     | H319: Eye irritation. Hazard category 2.<br>H335: Specific Target Organ Toxicity - Single exposure; hazard category 3. Respiratory tract irritation.<br>H315: Skin irritation. Hazard category 2.<br>H317: Skin Sensitization. Hazard category 1.   |
| 16.3        | Precautionary Statements                              | P261: Avoid breathing vapor.<br>P280: Wear protective gloves and eye protection<br>P305 + P351: If in eyes, rinse cautiously with water for several minutes.<br>P337 + P313: If eye irritation persists, get medical advice / attention.<br>P302 + P352: If on skin, wash with plenty of soap and water.<br>P333 + P313: If irritation or rash occurs, get medical advice / attention.<br>P410 + P411: Protect from sunlight. Store at temperature not exceeding 27°C / 80°F. |
| 16.4        | Restrictions on use                                   | ASBA Core Automix is to be sold to and used by dental professionals only.   |
| 16.5        | Further information                                   | The information presented herein is believed to be factual as it has been derived from the works of persons believed to be qualified experts. However, nothing contained in this information is to be taken as a warranty or representation for which the manufacturer bears legal responsibility. The user should review any recommendations in the specific context of the intended use to determine whether they are appropriate.  |
| 16.6        | Sources of key data                                   | National Institute for Occupational Safety (NIOSH)<br>US Occupational Safety and Health Administration (OSHA)<br>Eur-Lex European Union Law: Regulation (EC) No. 1272/2008 (CLP) and Regulation (EC) No. 1907/2006 (REACH).<br>Guidance on the compilation of safety data sheets. Version 1.1; December 2011. European Chemicals Agency   |
| 16.7        | Information which has been added, deleted or revised. | This Safety Data Sheet has been revised to meet the GHS SDS format and the requirements of Regulation (EC) No. 1272/2008 (CLP) and Regulation (EC) No. 1907/2006 (REACH). Specifically Sections 2.1, 2.2, 3.2, 16.2, 16.3 have been modified.   |

Rev. 01.: 11/2018 by the Technical and Regulatory Affairs Department

Rev. 02.: 05/2021 by the Technical and Regulatory Affairs Department